InBody



InBody380

High Accuracy

Accurate measurements derived from InBody Technology

High Reproducibility

Ergonomic Electrodes designed for ensured reproducibility

Easy Transportation

Compact and foldable design for mobility

InBody Technology

InBody uses Bioelectrical Impedance Analysis (BIA) technology to measure human body composition. Impedance is the resistance of the human body generated when a micro alternating current flows through the human body. The human body is made of water that conducts electricity well, and the resistance varies depending on the amount of water. BIA is a technology that quantitatively measures body water through impedance that occurs when an electric current flows through the human body. InBody provides diverse information on body composition based on the measured body water.

Direct Segmental Measurement-BIA

The human body exhibits varying lengths and cross-sectional areas for each body segments. Arms and legs, characterized by narrow cross-sectional areas and length, exhibit higher impedance values and lower muscle mass. Conversely, the trunk, with its broader crosssectional area, yields lower impedance values and higher muscle mass. Even the slightest change in trunk impedance can significantly influence the total muscle mass. Therefore, it is essential to separately measure trunk impedance for precise total muscle mass assessment. InBody conducts separate measurements for arms, legs, and the trunk, ensuring the utmost accuracy in the analysis.

8-Point Tactile Electrodes utilizing Thumb Electrodes

Using the structural features of the human body, InBody pioneered '8-Point Tactile electrode with Thumb Electrodes'. This ensures InBody measurements start at the same location on the wrists and ankles, guaranteeing reliable and reproducible results.

Simultaneous Multi-Frequency Impedance Measurement


InBody introduced a technology in body composition analyzers to transmit multiple frequencies at once, obtaining specific impedance data for each for the first time. This reduces measurement time and error, leading to more accurate body water and fluid balance measurements.

No Estimations or Empirical Equations on Measured Values

InBody does not rely on empirical estimations based on age, gender, and more to ensure the accuracy of the measured data. In the past, empirical estimations were applied to the equations to ensure accuracy due to technological limitations. However, this resulted in lower accuracy when the measured population group changes. InBody overcame these limitations with technological developments such as direct segmental measurement-BIA to measure and analyze accurate body composition without applying empirical estimation. Therefore, InBody devices can provide data regardless of population and can reflect changes in the body with higher sensitivity.

Over 98% Correlation to DEXA on Accuracy

InBody precisely detects changes in body composition using impedance alone, showing a correlation over 0.98 with the gold-standard DEXA device.



Ryan T Hurt et al., The Comparison of SMF-BIA and DEXA for Estimating Fat Free Mass and Percentage Body Fat in an Ambulatory Population,

J Parenter Enteral Nutr: 2021 Aug; 45(6):1231-1238





Enhanced User Experience

Quick Measurement

Experience quick and precise body composition assessment within just 30 seconds, available for immediate consultation.

Convenient Measurement

Obtain accurate measurements by holding anywhere on the ergonomically designed 3-way hand electrode.

Portable Design

The foldable structure and compact design of the InBody380 facilitates simpler transportation and better space utilization.

Smart Recognition

QR code recognition with mobile phones simplifies member data entry for enhanced efficiency.





Comprehensive Parameters for Professionals

Body Water Balance

Maintaining body water balance is essential for overall health management. InBody's Whole Body ECW Ratio serves as a valuable tool for monitoring and assessing an individual's health status.

Cellular Integrity Check


Phase Angle is a vital measure that signifies cellular health by revealing Cellular Integrity and overall physiological function. InBody's Phase Angle assists in evaluating an individual's cellular health and guiding necessary actions.

Sarcopenia Assessment

Sarcopenia can be easily assessed and evaluated using the Skeletal Muscle Mass Index (SMI) and Hand Grip Strength*, allowing for comprehensive evaluation and personalized consultations. *Hand Grip Strength is available with connection to the InBody Handgrip Dynamometer (InGrip).

InBody Result Sheet

Provides reference parameters to thoroughly evaluate patients' conditions across various medical practices.



Result Sheet Interpretation

1 Body Composition Analysis

Body weight is the sum of Total Body Water, Protein, Minerals, and Body Fat Mass. Maintain a balanced body composition to stay healthy.

2 Muscle-Fat Analysis

The balance between Skeletal Muscle Mass and Body Fat Mass is a key health indicator. Muscle-Fat Analysis shows this balance by comparing the length of the bars for Weight, Skeletal Muscle Mass, and Body Fat Mass.

3 Obesity Analysis

For a more accurate evaluation of obesity, BMI alone is not sufficient. Opt for a more precise assessment using Percent Body Fat for clinical obesity analysis. The InBody can detect hidden health risks like Sarcopenic Obesity, in which a person appears slim on the outside but has a high percent body fat.

4 Segmental Lean Analysis

Analyzing the lean mass in each segment helps identify imbalances and insufficiently developed lean mass, which can be used to develop targeted exercise programs. The lean mass of the arms, trunk, and legs, are represented by two bars. The top bar shows how much lean mass there is in a segment compared to the ideal weight, and the bottom bar shows how sufficient the lean mass is to support your current weight.

5 ECW Ratio-Phase Angle

The Extracellular Water Ratio shows the balance status of body water. The ratio between intra-extracellular water remains consistent at about 3:2 ratio in healthy individuals, and when this balance is disrupted, edema may occur.

6 Body Composition History

Customize your user's journey by selecting from 19 parameters to track the Body Composition History, including Body Weight, Skeletal Muscle Mass, Body Fat Mass, Body Fat Percentage, and ECW Ratio. Assessing regularly on InBody to monitor progress is a great step toward a healthier life.

7 Logo Customization

The Customized Logo can be applied on the Result Sheet. URL can also be applied at the bottom of the Result Sheet as well.

8 InBody Score

The InBody Score is a unique index created by InBody to provide a snapshot of ones overall body composition health. The standard range is between 70-90 points, and points will be added or subtracted depending on the need of control of fat and muscle mass.

9 Whole Body Phase Angle

Phase Angle is related to the health status of the cell membrane. Strengthening of the cellular membrane and structural function will increase the Phase Angle. In contrast, impairments to the cellular membrane can result in decreased Phase Angle.

10 SMI

SMI is the sum of the muscle masses of the limbs divided by the height squared. It is an indicator that can be used for early diagnosis of Sarcopenia, a medical condition related to the loss of skeletal muscle mass.

11 Weight Control

Weight Control shows the recommended weight, fat, and muscle mass for a healthy body. A '+' signifies a need to gain, and a '-' indicates a need to lose weight. This metric is useful for setting personal health goals.

12 Nutrition Evaluation

Nutrition Evaluation is done based on variables such as on Protein, Minerals, and Body Fat. If below 90% of the normal status, the variable will be categorized as deficient. Body Fat above 160% will be presented as Excessive.

13 Obesity Evaluation

Evaluate obesity based on BMI and Percent Body Fat.

14 Body Balance Evaluation

Evaluate the balance of the body based on Segmental Lean Analysis.

15 Research Parameters

Various research parameters such as Basal Metabolic Rate, Waist-Hip Ratio, Obesity Degree, Skeletal Muscle Mass Index (SMI), Body Cell Mass, and more are provided.

16 Impedance


Impedance is the resistance that occurs when micro-alternating current is applied to the human body. InBody visualizes the impedance with the graph. You can easily detect if there is a reversed impedance error by checking crossed lines in the impedance graph. Below the impedance graph, you can also check the error codes.

* Research Parameters can be customized in the settings. Please refer to the Specifications page for available options.

Optional Results Sheet

1 InBody Result Sheet for Children

With the InBody Result Sheet for Children, you can assess and track a child's growth progress.



InBody							
	body.com	,					
Crowth Sooro							
Growth Score							
85 / 100 Points							
* If tall and within great body comparison standards, the growth score may surpass 100 points.							
Nutrition Evalua							
Protein Morm	al 🗆 Deficient						
Minerals Morm	al Deficient						
Body Fat Dorm	al 🗆 Deficient	Excessive					
Obesity Evaluat							
BMI Morm		□Over □Over					
PBF □Norm	al □ ^{Slightly} Over	Mover					
Body Balance Evaluation							
Upper 🗹 Balan	ced □ Slightly Unbalance	d □ Extremely Unbalanced					
Lower M Balan	ced Slightly Unbalance	d Unbalanced					
Upper-Lower 🗹 Balan	ced □ Slightly Unbalance	d □ Extremely Unbalanced					
Segmental Lear							
Right Arm	0.93 kg						
Left Arm	0.92 kg						
Trunk	10.6 kg						
Right Leg	3.29 kg						
Left Leg Research Param	3.26 kg						
Intracellular Water	11.6L (11.2~13.6)					
Extracellular Water	7.3 L (
Basal Metabolic Rate	926 kcal (
Child Obesity Degree	109% (
Bone Mineral Content Body Cell Mass	1.55 kg (16.6 kg (
FFMI	13.3 kg/m ²	10.0 - 19.0)					
FMI	4.7 kg/m ²						
QR Code ——							
	Scan the QR results on th	Code to see e website.					
Impedance —							
- 5		. .					
. 50		≓ ∃					
<u>. 500</u>	\mathbb{N}	<u>,</u>					
kHz	V						
$\mathbf{Z}(\Omega)$ RA LA	TR RL	LL TR					
[000/000/000]							
Copyright © 1996~by InBody Co.,Ltd.	All rights reserved. IR-En	glish-P9-Child-C-240426					

Percent Body Fat 36.1% Normal Range (18.0~28.0) Segmental Lean Analysis 2.02 kg 100.7 % 1.94 kg 96.7 % Normal Normal 17.8 kg 97.9 % _eft Normal 5.21 kg 5.13 kg 81.1 % 82.3 % Under Under Segmental Fat Analysis 1.5 kg 1.5 kg 174.0 % 167.8 % Over Over 11.5 kg 230.3 % Ē Over 2.8 kg 2.9 kg 125.8 % 126.5 % Normal mental Fat is estimated. Normal *Seg InBody Score 68 Research Parameters Intracellular Water 16.8 (16.7~20.5) Normal Range Extracellular Water 11.1 L (10.3~12.5) Normal Range Whole Body ECW Ratio 0.397 Normal Range (0.360~0.390) **2.20** kg Bone Mineral Content (2.05~2.51) Normal Range **24.0**kg Body Cell Mass (23.9~29.3) Normal Range Waist-Hip Ratio 0.97 Normal Range (0.75~0.85) Visceral Fat Level 12 (1~9) Normal Range 112 % **Obesity Degree** Body Metabolic Rate 1186 kcal (1255~1451) Normal Range **30.2** cm Arm Circumference Arm Muscle Circumference 25.8 cm 5.8 kg/m² SMI -9.2 kg Fat Control +3.0 kg **Muscle Control** 4.3 Whole Body Phase Angle Impedance

2

ID

Weight

Normal Range

Normal Range

Normal Range

Normal Range

Normal Range

BMI

Soft Lean Mass

Body Fat Mass

Obesity Analysis

InBody 02/22/2024 13:51

Gender: Female Weight : 59.1kg

Skeletal Muscle Mass 19.9kg

: 51

59.1 kg

(45.0~60.8)

(20.0~24.4) **35.6**kg

(34.7~42.3)

(10.6~16.9)

(18.5~25.0)

21.3kg

24.0 kg/m²

: JaneDoe


Muscle-Fat Analysis

Height : 156.9cm Age

2 Thermal Result Sheet (Optional)


Thermal Result Sheet is available by connecting the optional TP100 provided by InBody. Parameters on the Thermal Result Sheet are customizable from the InBody device settings.





InBody Data Integration Solution

Manage and utilize your InBody data in various settings.



InBody Data Comprehension

Provide a health report to monitor your customers body composition goal.

Analytical Dashboard and Report

Get an intuitive analysis of your InBody data on the dashboard and see how your facility is operating with InBody.

Monitor Lifestyle Habits

Integrate InBody devices to monitor lifestyle habits and provide remote health management.

Access InBody Results Anywhere, Anytime

Through PC, tablet and smartphones, access your customer's InBody results anywhere, anytime.

API Integration


Upon customer consent, utilize InBody data through API and SDK.

Various File Formats

Print InBody data as an image, excel file etc.

Specifications

InBody 380 Body Composition Analyzer



	, i			415.5	0710	
Bioelectric Impedance Analysis (BIA) Measurement Item	Bioelectrical Impedance (Z)	15 Impedance Measurements by Using 3 Different Frequencies (5kHz, 50kHz, 500kHz) at Each of 5 Segments (Right Arm, Left Arm, Trunk, Right Leg and Left Leg) 1 Phase Angle Measurements by Using 1 Frequencies (50kHz) at Whole Body	Sheet	Body Composition Analysis (Total Body Water, Protein, Minerals, Body Fat Mass,Soft Lean Mass, Fat Free Mass, Weight) Muscle-Fat Analysis (Weight, Skeletal Muscle Mass, Body Fat Mass) Obesity Analysis (Body Mass Index, Percent	Nutrition Evaluation (Protein, Minerals, Fat Mass) Obesity Evaluation (BMI, Percent Body Fat) Body Balance Evaluation (Upper, Lower, Upper-Lower) Segmental FatAnalysis (Graph) Segmental Fat Analysis (Graph) Segmental Circumference (Neck, Chest, Abdomen, Hip,	
Electrode Method	Tetrapolar 8-Point Tactile Electrodes Direct Segmental Multi-Frequency Bioelectrical Impedance Analysis (DSM-BIA) Simultaneous Multi-Frequency Bioelectrical Impedance Analysis (SMF-BIA) No Empirical Estimation on Measured Values (Age and Gender does not affect the measured values) 480 × 800 7inch Color TFT LCD Touchscreen, Keypad Serial(RS-232C): 2 EA, USB (HOST): 2 EA, LAN (10/100T): 1EA		.) 	Body Fat) • Segmental Lean Analysis(Right Arm, Left Arm, Trunk, Right Leg, Left Leg) • Segmental Fat Analysis(Right Arm, Left Arm, Trunk, Right Leg, Left Leg) • ECW Ratio - Phase Angle • Body Composition History (Weight, Skeletal Muscle Mass, Soft Lean Mass, Body Fat Mass, Percent Body Fat, BMI, ECW Ratio, InBody Score, Basal Metabolic Rate, Visceral Fat	Right Arm, Left Arm, Right Thigh, Left Thigh) • Waist-Hip Ratio (Graph) • Visceral Fat Level (Graph) • InBody Score (Graph) • Basal Metabolic Rate (Graph) • Research Parameters (Intracellular Water, Extracellular Water, Skeletal Muscle Mass, Fat Free Mass, Basal Metabolic Rate, Waist-Hip Ratio, Waist Circumference, Visceral Fat Level, Obesity Degree, Bone Mineral Content, Body Cell Mass, Arm Circumference, Arm Muscle	
Measurement Method						
Body Composition Calculation Method						
Display Type						
Internal Interface						
External Interface						
Wireless Connection	Bluetooth, Wi-Fi		_	Level, Waist-Hip Ratio, Fat Free Mass, Waist Circumference, Obesity Degree, FFMI, FMI, SMI	Calorie Expenditure by Activity	
Compatible Printer	Laser/Inkjet PCL3 or above S	SPL	_	SMM/WT, Whole Body Phase Angle_50kHz)		
Test Duration	About 30 seconds 5-300kg (11.0 - 661.4lb) 3 years and older			 InBody Score Whole Body Phase Angle (History) SMI (History) Body Type (Graph) 	 Blood Pressure (Sys, Dia, Pulse, MAP, PP, RPP) QR Code Results Interpretation QR Code Whole Body Phase Angle (50kHz) 	
Weight Range						
Age Range						
Height Range	95~220cm (3ft 1.40in ~ 7ft 2	.61in)		Weight Control (Target Weight, Weight Control, Fat Control, Muscle Control)	Impedance Graph (Each segment and each frequency) Sarcopenia Paremeters (SMI, HGS)	
Logo Display	Name, Address and Conten	t Information can be shown on the Results Sheet	InBody Result	Body Composition Analysis (Total Body Water,	Nutrition Evaluation (Protein, Minerals, Fat Mass)	
Digital Results	LCD Screen, LookinBody Web, LookinBody120 InBody Result Sheet, InBody Result Sheet for Children, Thermal Result Sheet d On the progress of the test, saving settings, and inputting information such as personal details		Sheet for Children 	Protein, Mineral, Body Fat Mass, Weight) Muscle Fat Analysis (Weight, Skeletal Muscle Mass, Body Fat Mass) Obesity Analysis (Body Mass Index, Percent Obesity Analysis (Body Mass Index, Percent Body Fat) Body Composition History (Height, Weight, BMJ, Skeletal Muscle Mass, Soft Lean Mass, Body Fat Mass, Percent Body Fat, Basal Metabolic Rate, Fat Free Mass, Child Obesity Wetabolic Rate, Fat Free Mass, Child Obesity Protein Mineral, Body Fat, Basal Metabolic Rate, Fat Free Mass, Child Obesity Og R Code Obesity Evaluation (BMI, Percent Body Fat) Body Composition History (Height, Weight, BMJ, Skeletal Muscle Mass, Soft Lean Mass, Body Composition Rate, Fat Free Mass, Child Obesity Obesity State Mass, Percent Body Fat, Basal Metabolic Rate, Fat Free Mass, Child Obesity Obesity State State State State State State Mass, Biod Pressure (Sys, Dia, Pulse, MAP, PP, RPP)	Obesity Evaluation (BMI, Percent Body Fat) Body Balance Evaluation (Upper Lower Upper-Lower) Segmental Lean Analysis(Right Arm, Left Arm, Trunk, Right Leg, Left Leg) Research Parameters (Intracellular Water, Extracellular Water, Skeletal Muscle Mass, Fat Free Mass, Basal Metabolic Rate, Child Obesity Degree, Bone Mineral Content, Body Cell Mass, FFMI, FMI, SMI, SMI/M/WT)	
Types of Result Sheets						
Notification Sounds and Voice Guidance						
Data Storage	Saves up to 100,000 measurements (When ID is entered)					
Test Mode	Professional Mode and Self Mode					
Dimensions	415.5 (W) × 871.5 (L) × 1069.9 (H) mm 16.3 (W) × 34.3 (L) × 42.1 (H) in 16kq(35.3lb)					
Equipment Weight						
Applied Rating Current	200 µA (±20 µA)		-	Degree, FFMI, FMI, SMI, SMM/WT, Whole Body Phase Angle_50kHz)	Results Interpretation QR Code Whole Body Phase Angle (50kHz)	
Adapter	Bridgepower Power Input AC 100-240V, 50-60Hz, 1.2A (1.2A-0.6A)		-	 Whole Body Phase Angle (History) 	Impedance Graph (Each segment and each frequency)	
	(BPM040S12F07) Power Output DC 12V, 3.4A	Power Output DC 12V, 3.4A		SMI (History) Growth Score Weight Control (Target Weight, Weight Control, Fat Control, Muscle Control)		
	Mean Well (GSM40A12)	Power Input AC 100-240V, 50-60Hz, 1.0-0.5A				
		Power Output DC 12V, 3.34A				
Operation Environment	10 - 40 °C (50 - 104 °F), 30 - 7	5% RH(No Condensation), 70 - 106 kPa	Thermal Result		Muscle-Fat Analysis, Obesity Analysis, Segmental Lean Analysis, Segmental Fat Analysis, InBody Score,	
Storage Environment	-10 - 70°C (14 - 158°F), 10 - 80% RH(No Condensation), 50 - 106kPa		- Sheet	Research Parameters (Intracellular Water, Extracellular Water, ECW Ratio, Total Body Water, Protein, Mineral, Bone Mineral Content, Body Cell Mass, Waist-Hip Ratio, Waist Circumference, Visceral Fat Level, Obesity Degree, Basal Metabolic Rate, Arm Circumference, Arm Muscle Circumference, FFMI, FMI, SMI,		

The above content is subject to change without prior notice for the purpose of improving product appearance and performance.

Note that this is a medical device, and use it with proper care and knowledge of its precautions and instructions.

The results about Blood Pressure or Hand Grip Stength are only available when integrated with InBody Blood Pressure Monitor (BPBIO Series) or InBody Handgrip Dynamometer (InGrip).
 QR Code is registered trademark of DENSO WAVE INCORPORATED.

SMM/WT), Fat Control, Muscle Control, Whole Body Phase Angle, Impedance Graph (Each segment and

InBody

InBody HQ [KOREA]

InBody Co., Ltd. InBody Bldg., 625, Eonju-ro, Gangnam-gu, Seoul 06106 Republic of Korea TEL: +82-2-501-3939 FAX : +82-2-6919-2417 Website: inbody.com E-mail: info@inbody.com

InBody China [CHINA]

Biospace China Co., Ltd. 903/904, XingDiPlaza, No.1698 YiShanRoad, Shanghai 201103 China TEL: +86-21-6443-9705 FAX : +86-21-6443-9706 Website: inbodychina.com E-mail: info@inbodychina.com

InBody Oceania [AUSTRALIA] Main office: Level 8, 1 York Street, SYDNEY, NSW 2000, Australia Showroom: U2/82-86 Minnie Street, Southport, Queensland TEL: +61-7-5681-1900 Website: au.inbody.com Email: oceania@inbody.com

InBody USA [USA]

Biospace Inc. dba InBody 13850 Cerritos Corporate Dr. Unit C Cerritos, CA 90703 USA TEL: +1-323-932-6503 FAX : +1-323-952-5009 Website: inbodyusa.com E-mail: info.us@inbody.com

InBody Europe B.V. [NETHERLANDS]

Gyroscoopweg 122, 1042 AZ, Amsterdam The Netherlands TEL:+31-20-238-6080 FAX:+31-6-5734-1858 Website: nl.inbody.com E-mail: info.eu@inbodv.com

InBody MEXICO [MEXICO] Biospace Latin America S. de R.L. de C.V. Insurgentes Sur 1457, Piso 15 Int.2. Col. Insurgentes Mixcoac, Alcaldia Benito Juarez, C.P. 03920, Ciudad de Mexico, Mexico TEL:+52-55-5025-0147 Website: inbodymexico.com E-mail: info.mx@inbody.com

InBody BWA [USA]

2550 Fisenhov er Avenue, Suite C 209. Audubon. PA 19403 TEL: +1-610-348-7745 Website: inbodybwa.com E-mail: bwainquiries@inbody.com

Deutschland [GERMANY] Mergenthalerallee 15-21, 65760 Eschborn, Germany

TEL: +49-6196-76-916-62 FAX: +49-6196-76-916-11

InBody Asia [MALAYSIA & SINGAPORE] Unit 3A-11, Oval Damansara, 685 Jalan Damansara Kuala Lumpur, WP KL 60000 Malaysia

TEL: +60-3-7732-0790 FAX: +60-3-7733-0790

InBody Europe B.V. Niederlassung

Webseite: de.inbody.com

E-mail: erfolg@inbody.com

Website: inbodyasia.com

E-mail: info@inbodyasia.com

each frequency)

InBody Japan [JAPAN] InBody Japan Inc. Tani Bldg., 1-28-6, Kameido, Koto-ku, Tokyo 136-0071 Japan TEL: +81-3-5875-5780 FAX : +81-3-5875-5781 Website: inbody.co.jp E-mail: inbody@inbody.co.jp

InBody UK [UNITED KINGDOM]

11 Phoenix Park, Telford Way, Stephenson Industrial Estate, Coalville LE67 3HB, United Kingdom TEL : +44-1530-569620 Website: uk.inbody.com E-mail: uk@inbody.com

InBody India [INDIA] Unit No. G-B 10, Ground Floor, Art Guild House, Phoenix Market City, L.B.S. Marg, Kurla (West), Mumbai 400070 India TEL:+91-22-6223-1911 Website: inbody.in E-mail: india@inbody.com

Certifications obtained by InBody

C E M 1 6 SGS CE1639 NAW]







ISO9001 MDSAF GMP



оріс 👥 сіро 📑 Opic-cipo China patent Japan patent Korea patent





U.S patent

For more details about the patents that we acquired, please visit our website or refer to the patent gazette of intellectual property office of each country.



©2024 InBody Co., Ltd. All rights reserved, IC-ENG-P9-E-240426